

Role of Health Equity Research and Policy for Diverse Populations Requiring Hand Surgery Care



Paige L. Myers, MD^{*}, Kevin C. Chung, MD, MS

KEYWORDS

- Equity • Justice • Research • Surgery • Health equity • Public policy • Socioecological approach
- Hand surgery

KEY POINTS

- Health equity is defined as eliminating systematic disparities in health imposed on marginalized groups resulting in negative health outcomes by allocating resources based on need. Equality refers to equal resources provided to all, regardless of need. True health equity cannot be achieved unless meaningful effort is applied to improve pervasive inequality.
- A socioecological approach can be used to evaluate the problems and propose solutions to health equity in Hand Surgery, specifically at the individual, community, institutional, and public policy levels.
- At the individual level, we must improve medical trust within diverse populations as well as providing patient education and strategies for risk reduction.
- At the community level, we must collaborate with community leaders to better help underserved populations. We also must invest in rural surgeons to ensure equitable geographic access to Hand surgeons and therapists.
- At the institutional level, we must increase diversity and antiracist education of our workforce to better represent the populations we service. Institutions must increase collaborate to provide multidisciplinary, longitudinal care for vulnerable patients.
- At the public policy level, governmental agencies must thoughtfully collect data on all populations to assess areas of gaps and for progress. Through improve reimbursement and incentives from the Centers for Medicare and Medicare Services, patients with historically poor insurance can receive equitable Hand Surgery care.

INTRODUCTION

Public policy and health services research have meaningful impact on population health but can often have unintended consequences if the diversity of the population is ignored. Instead, policy and research should be viewed from the lens of health equity.¹ Although often used synonymously, equality and equity encompass two very

different concepts. Health equity is an ethical principle driven by social justice which means that everyone has a fair and just opportunity to be as healthy as possible.² Equality refers to equal resources provided to all. True health equity aims to eliminate the systematic disparities in health imposed on marginalized groups that adversely impact outcomes.³ (Fig. 1) Although there is a

Dr P.L. Myers has no disclosures. Dr K.C. Chung receives funding from the National Institutes of Health and book royalties from Wolters Kluwer and Elsevier. Department of Surgery, Section of Plastic Surgery, University of Michigan, 2130 Taubman Center, 1500 East Medical Center Drive, Ann Arbor, MI 48109, USA

* Corresponding author.

E-mail address: paigelm@med.umich.edu

Hand Clin 39 (2023) 17–24

<https://doi.org/10.1016/j.hcl.2022.08.002>

0749-0712/23/© 2022 Elsevier Inc. All rights reserved.




Fig. 1. Equality versus equity. To make meaningful change, we must not expect everyone to ride the same bicycle, but to ensure different bicycles for each person's needs. (Courtesy of the Robert Wood Johnson Foundation, 2017; with permission.)

well-recognized need to eliminate health care disparities, marginalized populations such as racial/ethnic minority groups, rural residents, and socioeconomically disadvantaged families continue to receive poor access and quality of health care. Despite advancements in medicine and technology, the persistent and ignored impacts of the social determinants of health undermine population health and wellness.

In a recent systematic review, research on the social determinants of health in Hand Surgery was sparse.⁴ Race,⁵ socioeconomic status,⁴ and rural location⁶ are all associated with poorer outcomes in surgery. Research in health equity and policy is essential for understanding the root cause, by guiding where to improve outcomes with an emphasis on implementing effective remedial strategies.⁷ Chung and colleagues⁹ outlined the intercalated relationship of research and health policy (Fig. 2). Research is necessary to describe a problem, policy is implemented to remedy the problem, and assessment is undertaken to elucidate the policy's impact and to refine the solutions. This cycle is repeated to offer the best outcomes for patients. In 1986, a national agenda for the Secretary's Task Force Report on Black and Minority Health was instituted to examine and improve health disparities. Despite this effort, there is still much effort to be made outside of the operating room.⁷

As surgeons, we are poised in a unique position to influence injustice. Conducting health equity research and with policy inclination strive to advocate for vulnerable groups. Factors such as social, environmental, and economic factors are pertinent to identify the barriers and propose solutions to achieve health equity. Despite thousands of published studies, our current knowledge is limited with regard to the most effective strategies to reduce health inequities,⁹ though it is known that pursuing equity requires a collaborative approach engaging diverse stakeholders.² A socioecological

model¹⁰ conceptualizes the role of health equity research and policy for diverse populations in Hand Surgery. This approach considers the complex interactions among the individual, community, social, and political environments as it relates to health. It is useful for both understanding the nature of health problems as well as insight into the most effective methods for successful improvements by incorporating environmental change (not simply modifying individual behaviors).^{1,11,12} We will be discussing Hand Surgery care for diverse populations through this modified socioecological approach that includes multiple levels: individual, community, institutional, and public policy (Fig. 3).¹⁰

INDIVIDUAL

At the individual level, there are biological and personal history¹² circumstances that contribute to




Fig. 2. Research is needed to characterize the problem, inform the development of evidence-based policy, evaluate the policy's effects, and guide policy revision. (From Chung and colleagues Promoting Health Policy Research in Plastic Surgery. *Plast Reconstr Surg.* 2021; 147 (5): 1242-1244; with permission.)




Fig. 3. A modified socioecological approach to health equity and research of diverse populations in Hand Surgery.

disparities in Hand Surgery care. One pathway that has led to this disparity is deeply rooted medical mistrust.^{13,14} From Henrietta Lacks' cells to the Tuskegee Syphilis Study, there are many examples of how modern medicine has marginalized the Black community leading to reluctance to trust health care recommendations and seek care when needed. From 1932 to 1972, the United States government conducted a research study by forcefully denying incarcerated Black men proven treatment of syphilis to study the progression of the disease. The Tuskegee Syphilis Study is frequently cited as the most influential event precipitating Black Americans lack of medical trust, although it is not an isolated incident.¹⁵ In 1951, at Johns Hopkins University, doctors obtained samples of cells from their Black patient, Henrietta Lacks, during treatment of cervical cancer without her knowledge or consent. These cells were discovered to have unique capabilities and were shared within the scientific community widely, still without consent. They have advanced the field of biology without any consent or compensation to her family. Ms. Lacks unfortunately passed away shortly after her diagnosis, never realizing her contribution. These are just a few examples of the systemic racism inherent in our health care system that has led to medical mistrust by minority communities.

To begin to systematically dismantle this barrier, Hand surgeons and policy makers can collaborate with community leaders to promote understanding of Hand Surgery care. This method has been proven successful in the past. In 2010, the Centers for Disease Control and Prevention launched the Racial and Ethnic Approaches to Community Health (REACH) initiative. This effort gathered coalitions of community health advisors, nurses, health care providers, and clergy to administer information regarding primary prevention strategies in African American communities. Through multi-disciplinary collaboration, the REACH initiative

successfully reduced disparities across the country. One example is increased screening for diabetes to improve awareness, prevention and control of the disease. In South Carolina, the hemoglobin A1C screening disparity between the African Americans and White populations decreased from 21% to 0%, and in Alabama, the disparity in breast and cervical cancer screenings decreased from 15% to 2%. This is important evidence that a community approach can be successful in reducing health disparities.¹⁶ Even within our surgical practices, simply having an educated discussion can impact outcomes. In 2010, New York State passed the Breast Cancer Provider Discussion Law which greatly improved breast reconstruction rates, with the risk-adjusted rate growing significantly higher for African Americans and elderly patients.¹⁷

Hand and upper extremity trauma is the most common type of injury in emergency departments, responsibly for more than 12% of all trauma cases in the United States.¹⁸ Currently, treatment of hand trauma is inequitably distributed. For instance, patients with hand amputation injuries who are African Americans, Hispanics, uninsured, or underinsured patient are less likely to undergo attempted replantation.¹⁹ Patient comorbidities secondary to low socioeconomic status have more self-destructive behaviors such as greater tobacco use and unhealthy lifestyles can impact surgical outcomes.²⁰ Policy changes can be implemented to improve the safety of our vulnerable populations. For example, seatbelt²¹ and helmet laws²² have contributed to less morbidity and mortality from motor vehicle accidents, similar regulations can help minimize the burden of traumatic hand injuries. Gunshot injuries are a source of increasing injury with devastating effects.²³ Strict firearm laws can reduce upper extremity trauma for high-risk populations, clearly also improving the safety of the entire community. Fireworks are

also an increasing source of debilitating hand trauma²⁴ that can also be curtailed through legislation on consumer purchasing. The Occupational Safety and Health Administration has implemented several policies to ensure workplace safety for hand injuries,²⁵ although the burden of injury from occupational injury remains high, highlighting the need for even more work in this arena.²⁶

COMMUNITY

At the community level, several geographic and socioeconomic challenges exist. The Emergency Medical Treatment and Active Labor Act (EMTALA) was created in 1986 to prevent discriminatory access to emergency medical care by requiring all institutions to accept emergency patients regardless of insurance status.²⁷ Despite this legislation, inequities persist.

For basic Hand Surgery problems, many community-based Hand surgeons do not accept Medicaid given poor reimbursements, which burdens patients to travel to a tertiary care center or safety-net hospital.^{28–30} Complex upper extremity problems also often require transportation to subspecialists within Hand Surgery and/or a tertiary care center.²⁸ The disparity arises when patients with Medicaid insurance lack resources to travel and thus do not receive the necessary care they need or succumb to high out-of-pocket expenses.³¹ Bias also exists in Emergency Medical Services transport, as Hanchate and colleagues³² found that Black and Hispanic patients are more likely to be transported to a safety-net hospital emergency department (ED) compared with White patients within the same zip code. Long and colleagues⁶ reviewed escalation of care for digital amputation and found that lower socioeconomic neighborhoods were associated with fewer transfers to a higher level of care, precluding these patients from replantation opportunities.

Rural populations also face limited access to health care. There are higher costs for travel to hand specialists with possibly more time away from work, adding greater stressors to the patient. The undesirable effect is the patient seeks care through nonspecialized physicians/surgeons or even ignores pursuing care.^{31,33} Kalmar and Drolet found that geographic factors contributed to limited access to congenital Hand Surgery.³⁴ Rios-Diaz discovered that across the United States, there is a statistically significant paucity of Hand surgeons in rural and socioeconomically disadvantaged areas.³⁵ Establishing subspecialists in rural communities through policy changes may have great impact on health care equity while

also providing economic growth for the rural community.³³ This research highlights the need for incentives to promote Hand surgeons to serve in rural America.

A recent systemic review outlined policy implementations to increase the health care force in rural areas.³⁶ An important finding emerged: retention of physicians was optimized by supporting rural residents training to the medical professions through local education, tuition waiver, and flexible schedules to promote employment and family needs. Simply paying higher incentives was associated with increased recruitment of physicians to rural areas, but low rates of retention.³⁶ Interestingly, the expansion of Medicaid and Medicare to rural areas disincentivized physicians, likely given the poorer reimbursements of these systems and the large proportion of the population covered by this insurance.³⁷

Developing community–academic partnerships is a strategy that can be used to overcome these barriers. The organizations responsible for training Hand surgeons, namely the American Board of Plastic Surgery and the American Board of Orthopedic Surgery, can implement policy changes to better train Hand surgeons. There can be greater opportunities for training programs in rural locations as well as new fellowship models for rural surgeons to specialize into Hand surgeons during their practice. Through this model, the recruitment and retention of rural Hand surgeons can be maximized to better serve this marginalized population. In addition, larger institutions can invest in providing resources to these underserved communities to ensure they receive the care needed.

INSTITUTIONAL

Poor outcomes experienced by minorities are pervasive in the medical literature yet even surgeons do not recognize the problem—only 37% believe disparities exist, and even 5% in their own practice!³⁸ All medical professionals—not just Hand surgeons—must learn cultural competence³⁹ and antiracist education⁴⁰ to serve patients, staff, students, and colleagues. The current literature is sparse and inconclusive on the most effective way to recognize and reduce implicit bias.⁴¹ This will be an important area for increasing research efforts, though there are some strategies institutions can use.

The patient–physician relationship can be strengthened by greater diversity in Hand Surgery as patients feel connected by racial and ethnic concordance and improved care for underserved populations.^{42,43} Increasing the diversity of Hand surgeons is necessary to improve health equity

must begin in training. The most recent *JAMA* Graduate Medical Education Data⁴⁴ highlight this urgency for diversity in Hand Surgery. Of the listed training positions, 20% reported Asian, 8% Hispanic, less than 1% Native Hawaiian/Pacific Islander, and 0% Black ethnicities. Residency programs can be aware of the role of implicit bias in letter of recommendations and how this biased language may prevent an equitable selection process while also providing tools for avoidance of this language.⁴⁵ Our professional societies can establish formal pipeline programs at both the resident and medical student levels. They can sponsor scholarships for health equity research, establish diversity-focused visiting professorships, and formal health equity conferences to contribute to this cause. In addition, faculty members within Hand Surgery can support underrepresented minority students through mentorship and sponsorship to inspire them for Hand Surgery while also helping to improve their application to be competitive for the appropriate surgical residency.⁴⁶ A more holistic approach to medical student acceptance has also been shown to increase diversity in medical education.⁴⁷ Within higher education, focus can be given to deliberately teaching the history of the social determinants of health and structural racism to foster change in current practitioners as well as future generations.⁵

There is need for institutional improvement for preoperative and postoperative care of vulnerable patients. Occupational therapy is essential to achieving optimal outcomes in Hand Surgery, yet several barriers exist to access this important component of comprehensive hand care.^{46,48} Zubovic and colleagues⁴⁹ discovered that after emergency department visits, uninsured and Medicaid-insured patients are significantly less likely to initiate hand specialty follow-up and to complete follow-up when already established with an outpatient clinic. This finding is multifactorial, though it can be attributed a lack of insurance with increased cost-sharing, poor health insurance literacy, geographic limitations, and lack of care coordination.⁴⁸ Another important study by Calfee and colleagues²⁸ found that patients with Medicaid insurance (26%) were significantly more likely to miss postoperative appointments than patients with private insurance (11%), with no-show rates increasing with the greater distance required to reach the specialist.

To ensure necessary follow-up, we can implement policy measures in all patient care settings, from the outpatient clinic to the operating room, and the emergency department. Automatic scheduling of follow-up appointments with telephone reminders, provision of transportation vouchers and

waivers of fees at the time of the appointment are practices that have been shown to increase compliance rate to up to 80%.^{50,51} In addition, strengthening interdisciplinary teams to include community primary care physicians, case managers and social workers can establish longitudinal episodes of care with less opportunity for patient attrition.³¹ Patients will benefit from positive outcomes, including compliance with postoperative restrictions, management of comorbidities, and follow-up with hand therapy.⁵² Prioritizing an approach of health equity can ensure that populations with the greatest unmet needs are effectively reached through institutional change.

PUBLIC POLICY

At the public health policy level, inequity manifests through several barriers of care for marginalized populations. Public policy interventions have the greatest impact against these barriers when they target socioeconomic variables, arguably the most impactful through federal legislation. The Affordable Care Act (ACA) of 2010 has led to the most significant changes for improving population health in the modern era, expanding access to health care to millions of previously uninsured Americans.¹ It also established the Offices of Minority Health (agencies within the Department of Health and Human Services [HHS]) to allocate new resources to strengthen workforce diversity and to require nonprofit hospitals to collaborate with the community to conduct community health needs assessment. This highlights the importance of a multifaceted and grassroots approach to health equity.

From a research and evaluation perspective, the ACA mandated that any HHS sponsored assessment include racial, ethnic, and socioeconomic demographics, the benefit of which provides more granular data, to better identify specific population health needs.¹ The literature has a lack of diversity of our research populations, and these data must be included to reflect our diverse communities.^{53,54} One solution to ensure equitable research is to grow and link population-based administrative health records.⁵⁵ This data linkage, through advances in technology combined with racial and socioeconomic demographic data, can provide novel information for evidence-based health services research. Marginalized individuals often lack diligent primary care and may be more nomadic in their health care receipt, so by linking these records we can better track individual outcomes.

Despite the ACAs expansive coverage, many surgeons chose not to treat patients with Medicaid given poor reimbursement and burdensome

paperwork requirements from Centers for Medicare and Medicaid and workman's compensation.^{28–30,56,57} Targeted legislative changes should be implemented to increase the access of care to disadvantaged population through improved reimbursement. Further research is needed to characterize novel reimbursement strategies for Hand surgeons to include quality improvement efforts and by providing rewards and penalties as incentives to improve health care quality for the disadvantaged. In addition, more accurate indicators of surgical quality are necessary as metrics of success in Hand Surgery to emphasize more in the realm of form and function rather than mortality.

Reimbursement reforms may have unintended consequences, such as disenfranchising targeted populations or unfairly penalizing safety-net providers.²⁰ Billig and colleagues⁵⁸ outline a “pay-for-participation” strategy to avoid providing rewards to only high-performing, well-financed systems to mitigate the risk for further inequity. In this model, participants learn from one another and institute changes to improve patient care through quality. Such innovative methods focused on value are necessary as the US transitions from a fee-for-service to a value-based payment system. Reimbursements are increasingly tied to value, rather than volume. To evaluate the impact of policy changes on Hand Surgery outcomes, efforts should be devoted to assess value-based care through the lens of the social disparities of health.⁸

SUMMARY

Health equity ensures everyone has a fair and just opportunity to be as healthy as possible, despite unequal resources.² For diverse populations in Hand Surgery, a modified socioecological approach is useful for conceptualizing the role of health equity and research at the individual, community, institutional, and health care system levels. Collaboration among the community, policymakers, stakeholders, and health care professionals is necessary to achieve health equity. We must thoughtfully and willfully change the current practice to include these complex and multifactorial interactions within race, society, and the health care system. The quality of health care in the United States cannot improve until health equity is reached.

REFERENCES

- Hall M, Graffunder C, Metzler M. Policy approaches to advancing health equity. *J Public Health Manag Pract* 2016;22(Suppl 1):S50–9.
- Braveman P, Arkin E, Orleans T, et al. What is health equity? And what difference does a definition make. San Francisco: Robert Wood Johnson Foundation; 2017.
- Hebert PL, Sisk JE, Howell EA. When does a difference become a disparity? *Conceptualizing Racial and Ethnic Disparities in Health* 2008;27(2):374–82.
- Baxter NB, Howard JC, Chung KC. A systematic review of health disparities research in plastic surgery. *Plast Reconstr Surg* 2021;147(3).
- Bailey ZD, Krieger N, Agénor M, et al. Structural racism and health inequities in the USA: evidence and interventions. *Lancet* 2017;389(10077):1453–63.
- Long C, Suarez PA, Hernandez-Boussard T, et al. Disparities in access to care following traumatic digit amputation. *Hand (N Y)*. 2020;15(4):480–7.
- Woolf SH. Progress in achieving health equity requires attention to root causes. *Health Aff* 2017;36(6):984–91.
- Chung KC, Baxter NB, Rohrich RJ. Promoting health policy research in plastic surgery. *Plast Reconstr Surg* 2021;147(5):1242–4.
- Williams DR. Miles to go before we sleep: racial inequities in health. *J Health Soc Behav* 2012;53(3):279–95.
- Golden SD, Earp JAL. Social ecological approaches to individuals and their contexts: twenty years of health education & behavior health promotion interventions. *Health Educ Behav* 2012;39(3):364–72.
- Arcaya MC, Figueroa JF. Emerging trends could exacerbate health inequities in the United States. *Health Aff (Millwood)* 2017;36(6):992–8.
- McCloskey DJ, McDonald MA, Cook J, et al. Models and frameworks. In: Silberberg M, editor. *Community engagement: definitions and organizing concepts from the literature*. Agency for Toxic Substances and Disease Registry; 2015. p. 20–3.
- Butler PD, Morris MP, Momoh AO. Persistent disparities in postmastectomy breast reconstruction and strategies for mitigation. *Ann Surg Oncol* 2021;28(11):6099–108.
- Musa D, Schulz R, Harris R, et al. Trust in the health care system and the use of preventive health services by older black and white adults. *Am J Public Health* 2009;99(7):1293–9.
- Gamble V. Under the shadow of tuskegee: african americans and health care. *Am J Public Health* 1997;87(11):1773–8.
- Airhihenbuwa CO, Liburd L. Eliminating health disparities in the African American population: the interface of culture, gender, and power. *Health Educ Behav* 2006;33(4):488–501.
- Fu RH, Baser O, Li L, et al. The effect of the breast cancer provider discussion law on breast reconstruction rates in New York State. *Plast Reconstr Surg* 2019;144(3):560–8.
- Maroukis BL, Chung KC, MacEachern M, et al. Hand trauma care in the united states: a literature review. *Plast Reconstr Surg* 2016;137(1):100e–11e.

19. Squitieri L, Reichert H, Kim HM, et al. Patterns of surgical care and health disparities of treating pediatric finger amputation injuries in the United States. *J Am Coll Surg* 2011;213(4):475–85.
20. Purnell TS, Calhoun EA, Golden SH, et al. Achieving health equity: closing the gaps in health care disparities, interventions, and research. *Health Aff (Millwood)* 2016;35(8):1410–5.
21. Prevention. CfDCA. Policy Impact: Seat Belts. 2011. Available at: <https://www.cdc.gov/transportationsafety/seatbeltbrief/index.html>. Accessed June 26, 2022.
22. Mayrose J. The effects of a mandatory motorcycle helmet law on helmet use and injury patterns among motorcyclist fatalities. *J Saf Res* 2008;39(4):429–32.
23. Meade A, Hembd A, Cho M-J, et al. Surgical treatment of upper extremity gunshot injuries: an updated review. *Ann Plast Surg* 2021;86(3S Suppl 2):S312–8.
24. Morrissey PJ, Scheer RC, Shah NV, et al. Increases in firework-related upper extremity injuries correspond to increasing firework sales: an analysis of 41,195 injuries across 10 years. *J Am Acad Orthop Surg* 2021;29(13):667–e674.
25. Administration OSAH. Hand protection. 1994. Available at: <https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.138>. Accessed June 26, 2022.
26. Duggleby L, Goubault L, Parsons T, et al. How many acute orthopaedic injuries are preventable? *Injury* 2022;53(8):2790–4.
27. Zibulewsky J. The emergency medical treatment and active labor Act (EMTALA): what it is and what it means for physicians. *Proc (Bayl Univ Med Cent)*. 2001;14(4):339–46.
28. Calfee RP, Shah CM, Canham CD, et al. The influence of insurance status on access to and utilization of a tertiary Hand Surgery referral center. *J Bone Joint Surg Am* 2012;94(23):2177–84.
29. Kim C-Y, Wiznia DH, Wang Y, et al. The effect of insurance type on patient access to carpal tunnel release under the affordable care act. *J Hand Surg Am* 2016;41(4):503–9.
30. Odom EB, Hill E, Moore AM, et al. Lending a Hand to Health Care Disparities: a Cross-sectional Study of Variations in Reimbursement for Common Hand Procedures. *Hand (N Y)*. 2020;15(4):556–62.
31. Bernstein DN, Gruber JS, Merchan N, et al. What factors are associated with increased financial burden and high financial worry for patients undergoing common hand procedures? *Clin Orthop Relat Res* 2021;479(6):1227–34.
32. Hanchate AD, Paasche-Orlow MK, Baker WE, et al. Association of race/ethnicity with emergency department destination of emergency medical services transport. *JAMA Netw Open* 2019;2(9):e1910816.
33. Meyerson J, Shields T, Liechty A, et al. Creating a rural plastic surgery practice: social and financial impacts. *Plast Reconstr Surg Glob Open* 2022;10(5):e4293.
34. Kalmar CL, Drolet BC. Socioeconomic disparities in surgical care for congenital hand differences. *Hand (N Y)* 2022. <https://doi.org/10.1177/15589447221092059>. 15589447221092059.
35. Rios-Diaz AJ, Metcalfe D, Singh M, et al. Inequalities in Specialist Hand Surgeon Distribution across the United States. *Plast Reconstr Surg* 2016;137(5):1516–22.
36. Russell D, Mathew S, Fitts M, et al. Interventions for health workforce retention in rural and remote areas: a systematic review. *Hum Resour Health* 2021;19(1):103.
37. Zhou JT. Analyses of physician labor supply dynamics and its effect on patient welfare. Chapel Hill, NC: The University of North Carolina; 2018.
38. Britton BV, Nagarajan N, Zogg CK, et al. US surgeons' perceptions of racial/ethnic disparities in health care: a cross-sectional study. *JAMA Surg* 2016;151(6):582–4.
39. Baxter N, Chung KC. The plastic surgeon's role in health equity research and policy. *Ann Plast Surg* 2020;85(6):592–4.
40. Bradford PS, Dacus AR, Chhabra AB, et al. How to be an antiracist Hand Surgery educator. *J Hand Surg Am* 2021;46(6):507–11.
41. Maina IW, Belton TD, Ginzberg S, et al. A decade of studying implicit racial/ethnic bias in healthcare providers using the implicit association test. *Soc Sci Med* 2018;199:219–29.
42. Saha S, Komaromy M, Koepsell TD, et al. Patient-physician racial concordance and the perceived quality and use of health care. *Arch Intern Med* 1999;159(9):997–1004.
43. James SA. The strangest of all encounters: racial and ethnic discrimination in US health care. *Cad Saude Publica* 2017;1(Suppl 1):e00104416, 33Suppl.
44. Brotherton SE, Etzel SI. Graduate medical education, 2020-2021. *JAMA* 2021;326(11):1088–110.
45. Bradford PS, Akyeampong D, Fleming MA 2nd, et al. Racial and gender discrimination in Hand Surgery letters of recommendation. *J Hand Surg Am* 2021;46(11):998–1005.e1002.
46. Khetpal S, Lopez J, Redett RJ, et al. Health equity and healthcare disparities in plastic surgery: what we can do. *J Plast Reconstr Aesthet Surg* 2021;74(12):3251–9.
47. Grbic D, Morrison E, Sondheimer HM, et al. The association between a holistic review in admissions workshop and the diversity of accepted applicants and students matriculating to medical school. *Acad Med* 2019;94(3):396–403.
48. Krishnan J, Chung KC. Access to hand therapy following surgery in the United States: barriers and Facilitators. *Hand Clin* 2020;36(2):205–13.
49. Zubovic E, Van Handel AC, Skolnick GB, et al. Insurance status and disparities in outpatient care after

- traumatic injuries of the hand: a retrospective cohort study. *Plast Reconstr Surg* 2021;147(3):545–54.
50. Messina FC, McDaniel MA, Trammel AC, et al. Improving specialty care follow-up after an ED visit using a unique referral system. *Am J Emerg Med* 2013;31(10):1495–500.
 51. Baren JM, Boudreaux ED, Brenner BE, et al. Randomized controlled trial of emergency department interventions to improve primary care follow-up for patients with acute asthma. *Chest* 2006;129(2):257–65.
 52. Vasan A, Hudelson CE, Greenberg SL, et al. An integrated approach to surgery and primary care systems strengthening in low- and middle-income countries: building a platform to deliver across the spectrum of disease. *Surgery* 2015;157(6):965–70.
 53. Silvestre J, Abbatematteo JM, Serletti JM, et al. Racial and ethnic diversity is limited for plastic surgery clinical trials in the United States. *Plast Reconstr Surg* 2016;137(5):910e–1e.
 54. Somerson JS, Bhandari M, Vaughan CT, et al. Lack of diversity in orthopaedic trials conducted in the United States. *J Bone Joint Surg Am* 2014;96(7):e56.
 55. Hall SE, Holman CD, Finn J, et al. Improving the evidence base for promoting quality and equity of surgical care using population-based linkage of administrative health records. *Int J Qual Health Care* 2005;17(5):415–20.
 56. Perloff JD, Kletke P, Fossett JW. Which physicians limit their Medicaid participation, and why. *Health Serv Res* 1995;30(1):7–26.
 57. Malik AT, Khan SN, Goyal KS. Declining trend in medicare physician reimbursements for Hand Surgery from 2002 to 2018. *J Hand Surg Am* 2020;45(11):1003–11.
 58. Billig JI, Kotsis SV, Chung KC. The next frontier of outcomes research: collaborative quality initiatives. *Plast Reconstr Surg* 2020;145(5):1315–22.